



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands




Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000210
Product name AL-4-F-AS-G20 - 12-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,34 m3/h
Dimensions 45x42x28cm
Weight 5.2 Kg
EAN Code 8720153610001

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001010	Beveiligingsset AL-4-F-G20 - 12-20mbar Safetydevice set AL-4-F-G20 - 12-20mbar Sicherheitsset AL-4-F-G20 - 12-20mbar Kit de sécurité AL-4-F-G20 - 12-20mbar Kit de valvula de seguridad AL-4-F-G20 - 12-20mbar	1,00








Product Sheet

1/1



Product number	33000220
Product name	AL-4-F-AS-G20 - 100-200mbar
Connection	1/4"
Capacity	2,50 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	45x42x28cm
Weight	5.2 Kg
EAN Code	8720153610667

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001020	Beveiligingsset AL-4-F-G20 - 100-200mbar Safetydevice set AL-4-F-G20 - 100-200mbar Sicherheitsset AL-4-F-G20 - 100-200mbar Kit de sécurité AL-4-F-G20 - 100-200mbar Kit de valvula de seguridad AL-4-F-G20 - 100-200mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands




Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000230
Product name AL-4-F-AS-G25 - 12-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 45x42x28cm
Weight 5.2 Kg
EAN Code 8720153610018

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001030	Beveiligingsset AL-4-F-G25 - 12-20mbar Safetydevice set AL-4-F-G25 - 12-20mbar Sicherheitsset AL-4-F-G25 - 12-20mbar Kit de sécurité AL-4-F-G25 - 12-20mbar Kit de valvula de seguridad AL-4-F-G25 - 12-20mbar	1,00








Product Sheet

1/1



Product number	33000240
Product name	AL-4-F-AS-G25.3 - 15-25mbar
Connection	1/4"
Capacity	2,70 kW - 3,50 kW
Consumption	0,38 m3/h
Dimensions	45x42x28cm
Weight	5.2 Kg
EAN Code	8720153610025

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01313020	Venturi messing 18x33 diam. 13 mm Venturi brass 18x33 diam. 13 mm Venturi Messing 18x33 diam. 13 mm Venturi laiton 18x33 diam. 13 mm Venturi Latón 18x33 diam. 13 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001040	Beveiligingsset AL-4-F-G25.3 - 15-25mbar Safetydevice set AL-4-F-G25.3 - 15-25mbar Sicherheitsset AL-4-F-G25.3 - 15-25mbar Kit de sécurité AL-4-F-G25.3 - 15-25mbar Kit de valvula de seguridad AL-4-F-G25.3 - 15-25mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands





Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number	33000250
Product name	AL-4-F-AS- G25.3 - 100-200mbar
Connection	1/4"
Capacity	2,50 kW - 3,50 kW
Consumption	0,39 m3/h
Dimensions	45x42x28cm
Weight	5.2 Kg
EAN Code	8720153610674

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001050	Beveiligingsset AL-4-F-G25.3 - 100-200mbar Safetydevice set AL-4-F-G25.3 - 100-200mbar Sicherheitsset AL-4-F-G25.3 - 100-200mbar Kit de sécurité AL-4-F-G25.3 - 100-200mbar Kit de valvula de seguridad AL-4-F-G25.3 - 100-200mbar	1,00






Product Sheet

1/1



Product number	33000260
Product name	AL-4-F-AS-G31 - 25-50mbar
Connection	1/4"
Capacity	2,30 kW - 3,30 kW
Consumption	236 g/h
Dimensions	45x42x28cm
Weight	5.2 Kg
EAN Code	8720153610032

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001060	Beveiligingsset AL-4-F-G31 - 25-50mbar Safetydevice set AL-4-F-G31 - 25-50mbar Sicherheitsset AL-4-F-G31 - 25-50mbar Kit de sécurité AL-4-F-G31 - 25-50mbar Kit de valvula de seguridad AL-4-F-G31 - 25-50mbar	1,00








Product Sheet

1/1



Product number	33000270
Product name	AL-4-F-AS-G31 - 75-150mbar
Connection	1/4"
Capacity	2,30 kW - 3,20 kW
Consumption	230 g/h
Dimensions	45x42x28cm
Weight	5.2 Kg
EAN Code	8720153610049

	Product number	Description	Quantity
	00202026	Thermokoppel M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS Thermoelement M8x540 Q set for AL4 F-AS Thermocouple M8x540 Q set for AL4 F-AS	1,00
	01313015	Venturi messing 18x33 diam. 11 mm Venturi brass 18x33 diam. 11 mm Venturi Messing 18x33 diam. 11 mm Venturi laiton 18x33 diam. 11 mm Venturi Latón 18x33 diam. 11 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001070	Beveiligingsset AL-4-F-G31 - 75-150mbar Safetydevice set AL-4-F-G31 - 75-150mbar Sicherheitsset AL-4-F-G31 - 75-150mbar Kit de sécurité AL-4-F-G31 - 75-150mbar Kit de valvula de seguridad AL-4-F-G31 - 75-150mbar	1,00