



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands





Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000310
Product name AL-4-FS-AS-G20-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,34 m3/h
Dimensions 49x42x28cm
Weight 5.2 Kg
EAN Code 8720153610056

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerâmicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001011	Beveiligingsset AL-4-FS-G20 - 20mbar Safetydevice set AL-4-FS-G20 - 20mbar Sicherheitsset AL-4-FS-G20 - 20mbar Kit de sécurité AL-4-FS-G20 - 20mbar Kit de valvula de seguridad AL-4-FS-G20 - 20mbar	1,00








Product Sheet

1/1



Product number	33000320
Product name	AL-4-FS-AS-G20-200mbar
Connection	1/4"
Capacity	2,50 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	49x42x28cm
Weight	5.2 Kg
EAN Code	8720153610681

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001021	Beveiligingsset AL-4-FS-G20 - 200mbar Safetydevice set AL-4-FS-G20 - 200mbar Sicherheitsset AL-4-FS-G20 - 200mbar Kit de sécurité AL-4-FS-G20 - 200mbar Kit de valvula de seguridad AL-4-FS-G20 - 200mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands





Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000330
Product name AL-4-FS-AS-G25-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 49x42x28cm
Weight 5.2 Kg
EAN Code 8720153610063

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerâmicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001031	Beveiligingsset AL-4-FS-G25 - 20mbar Safetydevice set AL-4-FS-G25 - 20mbar Sicherheitsset AL-4-FS-G25 - 20mbar Kit de sécurité AL-4-FS-G25 - 20mbar Kit de valvula de seguridad AL-4-FS-G25 - 20mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands






Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000340
Product name AL-4-FS-AS-G25.3-25mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,38 m3/h
Dimensions 49x42x28cm
Weight 5.2 Kg
EAN Code 8720153610070

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313020	Venturi messing 18x33 diam. 13 mm Venturi brass 18x33 diam. 13 mm Venturi Messing 18x33 diam. 13 mm Venturi laiton 18x33 diam. 13 mm Venturi Latón 18x33 diam. 13 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001041	Beveiligingsset AL-4-FS-G25.3 - 25mbar Safetydevice set AL-4-FS-G25.3 - 25mbar Sicherheitsset AL-4-FS-G25.3 - 25mbar Kit de sécurité AL-4-FS-G25.3 - 25mbar Kit de valvula de seguridad AL-4-FS-G25.3 - 25mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands






Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000350
Product name AL-4-FS-AS-G25.3-200mbar
Connection 1/4"
Capacity 2,50 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 49x42x28cm
Weight 5.2 Kg
EAN Code 8720153610698

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001051	Beveiligingsset AL-4-FS-G25.3 - 200mbar Safetydevice set AL-4-FS-G25.3 - 200mbar Sicherheitsset AL-4-FS-G25.3 - 200mbar Kit de sécurité AL-4-FS-G25.3 - 200mbar Kit de valvula de seguridad AL-4-FS-G25.3 - 200mbar	1,00







Product Sheet

1/1



Product number	33000360
Product name	AL-4-FS-AS-G31-50mbar
Connection	1/4"
Capacity	2,30 kW - 3,30 kW
Consumption	236 g/h
Dimensions	49x42x28cm
Weight	5.2 Kg
EAN Code	8720153610087

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerâmicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001061	Beveiligingsset AL-4-FS-G31 - 50mbar Safetydevice set AL-4-FS-G31 - 50mbar Sicherheitsset AL-4-FS-G31 - 50mbar Kit de sécurité AL-4-FS-G31 - 50mbar Kit de valvula de seguridad AL-4-FS-G31 - 50mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands






Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/1



Product number 33000370
Product name AL-4-FS-AS-G31-150mbar
Connection 1/4"
Capacity 2,30 kW - 3,20 kW
Consumption 230 g/h
Dimensions 49x42x28cm
Weight 5.2 Kg
EAN Code 8720153610094

	Product number	Description	Quantity
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313015	Venturi messing 18x33 diam. 11 mm Venturi brass 18x33 diam. 11 mm Venturi Messing 18x33 diam. 11 mm Venturi laiton 18x33 diam. 11 mm Venturi Latón 18x33 diam. 11 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304012	Reflector Zwart AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS Réflecteur black AL-4- F/FS - AS Reflector black AL-4- F/FS - AS	1,00
	02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	10001071	Beveiligingsset AL-4-FS-G31 -150mbar Safetydevice set AL-4-FS-G31 -150mbar Sicherheitsset AL-4-FS-G31 -150mbar Kit de sécurité AL-4-FS-G31 -150mbar Kit de valvula de seguridad AL-4-FS-G31 -150mbar	1,00