







Product Sheet

1/2




Product number	33000410
Product name	AL-4-FEi-AS -G20 - 12-20mbar
Connection	1/4"
Capacity	2,70 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610100

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00

Product Sheet

2/2



Product number	33000410
Product name	AL-4-FEi-AS -G20 - 12-20mbar
Connection	1/4"
Capacity	2,70 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610100



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001012	Beveiligingsset AL-4-FEi-G20 - 12-20mbar Safetydevice set AL-4-FEi-G20 - 12-20mbar Sicherheitsset AL-4-FEi-G20 - 12-20mbar Kit de sécurité AL-4-FEi-G20 - 12-20mbar Kit de valvula de seguridad AL-4-FEi-G20 - 12-20mbar	1,00







Product Sheet

1/2



Product number	33000420
Product name	AL-4-FEi-AS-G20 - 100-200mbar
Connection	1/4"
Capacity	2,50 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610704

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2



Product number	33000420
Product name	AL-4-FEi-AS-G20 - 100-200mbar
Connection	1/4"
Capacity	2,50 kW - 3,50 kW
Consumption	0,34 m3/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610704

	Product number	Description	Quantity
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
	10001022	Beveiligingsset AL-4-FEi-G20 - 100-200mbar Safetydevice set AL-4-FEi-G20 - 100-200mbar Sicherheitsset AL-4-FEi-G20 - 100-200mbar Kit de sécurité AL-4-FEi-G20 - 100-200mbar Kit de valvula de seguridad AL-4-FEi-G20 - 100-200mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands




Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/2



Product number 33000430
Product name AL-4-FEi-AS-G25 - 12-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610117

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2



Product number 33000430
Product name AL-4-FEi-AS-G25 - 12-20mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610117



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001032	Beveiligingsset AL-4-FEi-G25 - 12-20mbar Safetydevice set AL-4-FEi-G25 - 12-20mbar Sicherheitsset AL-4-FEi-G25 - 12-20mbar Kit de sécurité AL-4-FEi-G25 - 12-20mbar Kit de valvula de seguridad AL-4-FEi-G25 - 12-20mbar	1,00








Product Sheet

1/2



Product number	33000440
Product name	AL-4-FEi-AS-G25.3 - 15-25mbar
Connection	1/4"
Capacity	2,70 kW - 3,50 kW
Consumption	0,38 m3/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610124

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313020	Venturi messing 18x33 diam. 13 mm Venturi brass 18x33 diam. 13 mm Venturi Messing 18x33 diam. 13 mm Venturi laiton 18x33 diam. 13 mm Venturi Latón 18x33 diam. 13 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2



Product number 33000440
Product name AL-4-FEi-AS-G25.3 - 15-25mbar
Connection 1/4"
Capacity 2,70 kW - 3,50 kW
Consumption 0,38 m3/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610124

	Product number	Description	Quantity
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
	10001042	Beveiligingsset AL-4-FEi-G25.3 - 15-25mbar Safetydevice set AL-4-FEi-G25.3 - 15-25mbar Sicherheitsset AL-4-FEi-G25.3 - 15-25mbar Kit de sécurité AL-4-FEi-G25.3 - 15-25mbar Kit de valvula de seguridad AL-4-FEi-G25.3 - 15-25mbar	1,00



ALKE
Heating Technology

www.alke.nl

info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands




Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

1/2



Product number 33000450
Product name AL-4-FEi-AS-G25.3 - 100-200mbar
Connection 1/4"
Capacity 2,50 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610711

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313010	Venturi messing 18x33 diam. 8,5 mm Venturi brass 18x33 diam. 8,5 mm Venturi Messing 18x33 diam. 8,5 mm Venturi laiton 18x33 diam. 8,5 mm Venturi Latón 18x33 diam. 8,5 mm	1,00
	01640017	Branderbak AL-4 gekit Hoge druk Burnerhouse AL-4 inclusive high-pressure ceramic stones Brennergehäuse AL-4 inklusive Hochdrucksteine Brûleur AL-4 y compris les céramiques haute pression Quemador AL-4 inclusive cerámicas de alta presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2




Product number 33000450
Product name AL-4-FEi-AS-G25.3 - 100-200mbar
Connection 1/4"
Capacity 2,50 kW - 3,50 kW
Consumption 0,39 m3/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610711

	Product number	Description	Quantity
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
	10001052	Beveiligingsset AL-4-FEi-G25.3 - 100-200mbar Safetydevice set AL-4-FEi-G25.3 - 100-200mbar Sicherheitsset AL-4-FEi-G25.3 - 100-200mbar Kit de sécurité AL-4-FEi-G25.3 - 100-200mbar Kit de valvula de seguridad AL-4-FEi-G25.3 - 100-200mbar	1,00






Product Sheet

1/2



Product number	33000460
Product name	AL-4-FEi-AS-G31 - 25-50mbar
Connection	1/4"
Capacity	2,30 kW - 3,30 kW
Consumption	236 g/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610131

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2



Product number 33000460
Product name AL-4-FEi-AS-G31 - 25-50mbar
Connection 1/4"
Capacity 2,30 kW - 3,30 kW
Consumption 236 g/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610131




Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001062	Beveiligingsset AL-4-FEi-G31 - 25-50mbar Safetydevice set AL-4-FEi-G31 - 25-50mbar Sicherheitsset AL-4-FEi-G31 - 25-50mbar Kit de sécurité AL-4-FEi-G31 - 25-50mbar Kit de valvula de seguridad AL-4-FEi-G31 - 25-50mbar	1,00







Product Sheet

1/2



Product number	33000470
Product name	AL-4-FEi-AS-G31 - 75-150mbar
Connection	1/4"
Capacity	2,30 kW - 3,20 kW
Consumption	230 g/h
Dimensions	48x42x28cm
Weight	6 Kg
EAN Code	8720153610148

	Product number	Description	Quantity
	00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
	00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
	00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
	01313015	Venturi messing 18x33 diam. 11 mm Venturi brass 18x33 diam. 11 mm Venturi Messing 18x33 diam. 11 mm Venturi laiton 18x33 diam. 11 mm Venturi Latón 18x33 diam. 11 mm	1,00
	01640016	Branderbak AL-4 gekit Lage druk Burnerhouse AL-4 inclusive low-pressure ceramic stones Brennergehäuse AL-4 inklusive Niederdrucksteine Brûleur AL-4 y compris les céramiques basse pression Quemador AL-4 inclusive cerámicas de baja presión	1,00
	01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
	02304013	Reflector Zwart AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS Réflecteur black AL-4- /FSEi / FEi - AS Reflector black AL-4- /FSEi / FEi - AS	1,00
	02403014	Gaas AL-4-FEi/ FSEi- AS Wire mesh AL-4-FEi / FSEi -AS Gitter AL-4-FEi / FSEi -AS Grille AL-4-FEi / FSEi -AS Malla AL-4-FEi / FSEi -AS	1,00



ALKE
Heating Technology

www.alke.nl


info@alke.nl

Industrielaan 11a
3925 BD Scherpenzeel
The Netherlands

Tel. + 31 (0)33-277 3824
Chamber of Commerce: 09047994
VAT number: NL005452612B01

Product Sheet

2/2



Product number 33000470
Product name AL-4-FEi-AS-G31 - 75-150mbar
Connection 1/4"
Capacity 2,30 kW - 3,20 kW
Consumption 230 g/h
Dimensions 48x42x28cm
Weight 6 Kg
EAN Code 8720153610148

	Product number	Description	Quantity
	02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
	03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
	10001072	Beveiligingsset AL-4-FEi-G31 - 75-150mbar Safetydevice set AL-4-FEi-G31 - 75-150mbar Sicherheitsset AL-4-FEi-G31 - 75-150mbar Kit de sécurité AL-4-FEi-G31 - 75-150mbar Kit de valvula de seguridad AL-4-FEi-G31 - 75-150mbar	1,00