









Product Sheet

1/2




Product number	33002410
Product name	AL-7-Ei-AS- G20 - 20mbar
Connection	1/4"
Capacity	5,90 kW
Consumption	0,57 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610582

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01643016	Branderbak AL-7 Gekit Lage druk Burnerhouse AL-7 inclusive low-pressure ceramic stones Brennergehäuse AL-7 inklusive Niederdrucksteine Brûleur AL-7 y compris les céramiques basse pression Quemador AL-7 inclusive cerámicas de baja presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00
 03000031	Ontsteek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00



Product Sheet

2/2



Product number	33002410
Product name	AL-7-Ei-AS- G20 - 20mbar
Connection	1/4"
Capacity	5,90 kW
Consumption	0,57 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610582




Product number	Description	Quantity
03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujía incluida	1,00
03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
10001212	Beveiligingsset AL-7-Ei -G20 - 20mbar Safetydevice set AL-7-Ei -G20 - 20mbar Sicherheitsset AL-7-Ei -G20 - 20mbar Kit de sécurité AL-7-Ei -G20 - 20mbar Kit de valvula de seguridad AL-7-Ei -G20 - 20mbar	1,00








Product Sheet

1/2




Product number	33002420
Product name	AL-7-Ei-AS-G20 - 100-200mbar
Connection	1/4"
Capacity	4,40 kW - 6,20 kW
Consumption	0,59 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610902

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307025	Venturi messing 25x62 diam. 12 mm Venturi brass 25x62 diam. 12 mm Venturi Messing 25x62 diam. 12 mm Venturi laiton 25x62 diam. 12 mm Venturi Latón 25x62 diam. 12 mm	1,00
 01643017	Branderbak AL-7 Gekit Hoge druk Burnerhouse AL-7 inclusive high-pressure ceramic stones Brennergehäuse AL-7 inklusive Hochdrucksteine Brûleur AL-7 y compris les céramiques haute pression Quemador AL-7 inclusive cerámicas de alta presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2




Product number	33002420
Product name	AL-7-Ei-AS-G20 - 100-200mbar
Connection	1/4"
Capacity	4,40 kW - 6,20 kW
Consumption	0,59 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610902

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001222	Beveiligingsset AL-7-Ei -G20 - 100-200mbar Safetydevice set AL-7-Ei -G20 - 100-200mbar Sicherheitsset AL-7-Ei -G20 - 100-200mbar Kit de sécurité AL-7-Ei -G20 - 100-200mbar Kit de valvula de seguridad AL-7-Ei -G20 - 100-200mbar	1,00





Product Sheet

1/2




Product number	33002430
Product name	AL-7-Ei-AS-G25 - 20mbar
Connection	1/4"
Capacity	5,90 kW
Consumption	0,66 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610599

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307067	Venturi messing 25x62 diam. 19 mm Venturi brass 25x62 diam. 19 mm Venturi Messing 25x62 diam. 19 mm Venturi laiton 25x62 diam. 19 mm Venturi Latón 25x62 diam. 19 mm	1,00
 01643016	Branderbak AL-7 Gekit Lage druk Burnerhouse AL-7 inclusive low-pressure ceramic stones Brennergehäuse AL-7 inklusive Niederdrucksteine Brûleur AL-7 y compris les céramiques basse pression Quemador AL-7 inclusive cerámicas de baja presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2




Product number	33002430
Product name	AL-7-Ei-AS-G25 - 20mbar
Connection	1/4"
Capacity	5,90 kW
Consumption	0,66 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610599

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001232	Beveiligingsset AL-7-Ei -G25 - 20mbar Safetydevice set AL-7-Ei -G25 - 20mbar Sicherheitsset AL-7-Ei -G25 - 20mbar Kit de sécurité AL-7-Ei -G25 - 20mbar Kit de valvula de seguridad AL-7-Ei -G25 - 20mbar	1,00




Product Sheet

1/2




Product number	33002440
Product name	AL-7-Ei-AS-G25.3 - 15-25mbar
Connection	1/4"
Capacity	4,35 kW - 5,60 kW
Consumption	0,61 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610605

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307065	Venturi messing 25x62 diam. 18 mm Venturi brass 25x62 diam. 18 mm Venturi Messing 25x62 diam. 18 mm Venturi laiton 25x62 diam. 18 mm Venturi Latón 25x62 diam. 18 mm	1,00
 01643016	Branderbak AL-7 Gekit Lage druk Burnerhouse AL-7 inclusive low-pressure ceramic stones Brennergehäuse AL-7 inklusive Niederdrucksteine Brûleur AL-7 y compris les céramiques basse pression Quemador AL-7 inclusive cerámicas de baja presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2




Product number	33002440
Product name	AL-7-Ei-AS-G25.3 - 15-25mbar
Connection	1/4"
Capacity	4,35 kW - 5,60 kW
Consumption	0,61 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610605

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001242	Beveiligingsset AL-7-Ei -G25.3 - 15-25mbar Safetydevice set AL-7-Ei -G25.3 - 15-25mbar Sicherheitsset AL-7-Ei -G25.3 - 15-25mbar Kit de sécurité AL-7-Ei -G25.3 - 15-25mbar Kit de valvula de seguridad AL-7-Ei -G25.3 - 15-25mbar	1,00



Product Sheet

1/2




Product number	33002450
Product name	AL-7-Ei-AS-G25.3 - 100-200mbar
Connection	1/4"
Capacity	4,10 kW - 5,80 kW
Consumption	0,63 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610919

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307020	Venturi messing 25x62 diam. 11 mm Venturi brass 25x62 diam. 11 mm Venturi Messing 25x62 diam. 11 mm Venturi laiton 25x62 diam. 11 mm Venturi Latón 25x62 diam. 11 mm	1,00
 01643017	Branderbak AL-7 Gekit Hoge druk Burnerhouse AL-7 inclusive high-pressure ceramic stones Brennergehäuse AL-7 inklusive Hochdrucksteine Brûleur AL-7 y compris les céramiques haute pression Quemador AL-7 inclusive cerámicas de alta presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2




Product number	33002450
Product name	AL-7-Ei-AS-G25.3 - 100-200mbar
Connection	1/4"
Capacity	4,10 kW - 5,80 kW
Consumption	0,63 m3/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610919

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001252	Beveiligingsset AL-7-Ei -G25.3 - 100-200mbar Safetydevice set AL-7-Ei -G25.3 - 100-200mbar Sicherheitsset AL-7-Ei -G25.3 - 100-200mbar Kit de sécurité AL-7-Ei -G25.3 - 100-200mbar Kit de valvula de seguridad AL-7-Ei -G25.3 - 100-200mbar	1,00





Product Sheet

1/2




Product number	33002460
Product name	AL-7-Ei-AS-G31 - 25-50mbar
Connection	1/4"
Capacity	3,90 kW - 5,50 kW
Consumption	394 g/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610612

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307069	Venturi messing 25x62 diam. 20 mm Venturi brass 25x62 diam. 20 mm Venturi Messing 25x62 diam. 20 mm Venturi laiton 25x62 diam. 20 mm Venturi Latón 25x62 diam. 20 mm	1,00
 01643016	Branderbak AL-7 Gekit Lage druk Burnerhouse AL-7 inclusive low-pressure ceramic stones Brennergehäuse AL-7 inklusive Niederdrucksteine Brûleur AL-7 y compris les céramiques basse pression Quemador AL-7 inclusive cerámicas de baja presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2




Product number	33002460
Product name	AL-7-Ei-AS-G31 - 25-50mbar
Connection	1/4"
Capacity	3,90 kW - 5,50 kW
Consumption	394 g/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610612

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001262	Beveiligingsset AL-7-Ei -G31 - 25-50mbar Safetydevice set AL-7-Ei -G31 - 25-50mbar Sicherheitsset AL-7-Ei -G31 - 25-50mbar Kit de sécurité AL-7-Ei -G31 - 25-50mbar Kit de valvula de seguridad AL-7-Ei -G31 - 25-50mbar	1,00



Product Sheet

1/2




Product number	33002470
Product name	AL-7-Ei-AS-G31 - 75-150mbar
Connection	1/4"
Capacity	4,05 kW - 5,70 kW
Consumption	408 g/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610629

Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00202027	Thermokoppelset M8x540 Q voor AL-7- / AL-8- Ei/SEi Thermocouple set M8x540 Q for AL-7- / AL-8- Ei/SEi Thermoelement-Set M8x540 Q für AL-7- / AL-8- Ei/SEi Jeu de thermocouples M8x540 Q pour AL-7- / AL-8- Ei/SEi Juego de termopar M8x540 Q para AL-7- / AL-8- Ei/SEi	1,00
 01307050	Venturi messing 25x62 diam. 15 mm Venturi brass 25x62 diam. 15 mm Venturi Messing 25x62 diam. 15 mm Venturi laiton 25x62 diam. 15 mm Venturi Latón 25x62 diam. 15 mm	1,00
 01643017	Branderbak AL-7 Gekit Hoge druk Burnerhouse AL-7 inclusive high-pressure ceramic stones Brennergehäuse AL-7 inklusive Hochdrucksteine Brûleur AL-7 y compris les céramiques haute pression Quemador AL-7 inclusive cerámicas de alta presión	1,00
 01806000	Aansluitstuk AL-7 inclusief schroef Connector AL-7 inclusief schroef Anschlussstück AL-7 einschließlich schrauben Pièce de connexion AL-7 inclusief schroef Pieza de conexión AL-7 inclusief schroef	1,00
 02307022	Reflector Zwart AL-7 AS Reflector black AL-7 AS Reflector black AL-7 AS Réflecteur black AL-7 AS Reflector black AL-7 AS	1,00
 02407000	Gaas AL7 Wire mesh AL7 Gitter AL7 Grille AL7 Malla AL7	1,00







Product Sheet

2/2



Product number	33002470
Product name	AL-7-Ei-AS-G31 - 75-150mbar
Connection	1/4"
Capacity	4,05 kW - 5,70 kW
Consumption	408 g/h
Dimensions	99x35x32cm
Weight	18 Kg
EAN Code	8720153610629

Product number	Description	Quantity
 03000031	Ontstek kabel Megasun-12-Ei 05-127613-536 Kabel, Ignition for Megasun EID Alke 05-127613-536 Kabel, Zündung für Megasun 12-Ei Alke Câble d'allumage pour Megasun 12-Ei Alke Cable de encendido para Megasun 12-Ei Alke	1,00
 03879215	Montageplaat zwart AL-7 AS- Ei inclusief bougie Mounting plate black AL-7-AS Ei including spark plug Montageplatte schwarz AL-7-AS Ei inklusive Zündkerze Plaque de montage noire AL-7-AS Ei avec bougie Placa de montaje negra AL-7-AS Ei con bujia incluida	1,00
 03894000	Rails voor gaas AL 7 Rails for wire mesh AL 7 Schienen für gitter AL 7 Rails pour grille AL 7 Rieles para malla AL 7	2,00
 10001272	Beveiligingsset AL-7-Ei -G31 - 75-150mbar Safetydevice set AL-7-Ei -G31 - 75-150mbar Sicherheitsset AL-7-Ei -G31 - 75-150mbar Kit de sécurité AL-7-Ei -G31 - 75-150mbar Kit de valvula de seguridad AL-7-Ei -G31 - 75-150mbar	1,00